






ISOMETRIC



SECTION B-B



SECTION A-A

NOTES

1. DETAIL TO BE USED IN CONJUNCTION WITH TESLA GENERAL REQUIREMENTS, INSTALLATION METHODS AND APPROVED DETAILS.
2. DECK OPENING SIZE SHOULD BE THE SAME AS THE MESH PORTION OF THE DECK VENT.
3. DECK VENT SHOULD ALIGN DIRECTLY OVER DECK OPENING.
4. FASTENING OF DECK VENT OCCURS ON THE VENT FLANGE, ALONG TOP AND SIDES. DO NOT FASTEN AT THE BOTTOM OF FLANGE, BELOW WIRE MESH.
5. THE NET FREE VENTILATION AREA (NFVA) IS 40-SQ-INCHES PER TILE VENT.

TESLA					
THIS DRAWING IS AN INSTRUMENT OF SERVICE AND IS PROVIDED FOR INFORMATIONAL USE ONLY. USAGE OF THIS DRAWING IS GOVERNED BY THE TERMS OF SERVICE FOR TESLA DETAIL. PLEASE CONSULT THESE TERMS OF SERVICE PRIOR TO UTILIZING THIS DRAWING. THIS DRAWING IS NOT TO BE USED OR RELIED UPON BY ANYONE AS A SUBSTITUTE FOR PROFESSIONAL ENGINEERING DESIGN AND DOCUMENTATION REQUIRED BY BUILDING CODE, CONTRACT, OR APPLICABLE LAW.					
TITLE					
TILE VENT					
DRAWING NUMBER	REVISION	SCALE	DWN	CHK	ISSUE DATE
2071243-00-A	1	1:5	JM	TR	2023-04-17